

Issue Date: 13-Sep-2006

Revision Date: 11-May-2021

Version 2

## 1. IDENTIFICATION

### Product Identifier

**Product Name** Aquathane Concrete Sealer

### Other means of identification

**SDS #** DYNI-007

### Recommended use of the chemical and restrictions on use

**Recommended Use** Sealer

### Details of the supplier of the safety data sheet

#### **Supplier Address**

Dynasol  
330 Pine Street  
Canton, MA 02021  
Phone: +1-(781)-821-8888  
Fax: +1-(781)-575-9177

### Emergency Telephone Number

**Emergency Telephone (24hr)** INFOTRAC 1-352-323-3500 (International)  
1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

**Appearance** Milky white liquid

**Physical State** Liquid

**Odor** Mild

### Classification

Reproductive toxicity

Category 1B

### Signal Word

**Danger**

### Hazard Statements

May damage fertility or the unborn child



### Precautionary Statements - Prevention

Obtain special instructions before use  
Do not handle until all safety precautions have been read and understood  
Use personal protective equipment as required

### Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

### Precautionary Statements - Storage

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Other Hazards**

Harmful to aquatic life with long lasting effects

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%
Diethylene glycol monomethyl ether	111-77-3	<7
tributoxyethyl phosphate	78-51-3	<1
Dibutyl phthalate	84-74-2	<2

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

**4. FIRST-AID MEASURES**

**First Aid Measures**

- General Advice** Provide this SDS to medical personnel for treatment. If exposed or concerned: Get medical advice/attention.
- Eye Contact** Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
- Skin Contact** Wash off immediately with plenty of water for at least 15 minutes.
- Inhalation** Remove to fresh air.
- Ingestion** Clean mouth with water and drink afterwards plenty of water.

**Most important symptoms and effects**

- Symptoms** May cause minimal eye irritation. prolonged exposure to vapors in poorly ventilated areas may be irritating to the respiratory system and give symptoms of headaches and nausea. May be irritating to the digestive system. May damage fertility or the unborn child.

**Indication of any immediate medical attention and special treatment needed**

- Notes to Physician** Treat symptomatically.

**5. FIRE-FIGHTING MEASURES**

**Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

- Unsuitable Extinguishing Media** Not determined.

**Specific Hazards Arising from the Chemical**

Not determined.

- Hazardous Combustion Products** Thermal decomposition on burning may produce toxic vapors or gases.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment and emergency procedures**

- Personal Precautions**                      Use personal protective equipment as required.
- Environmental Precautions**            See Section 12 for additional Ecological Information.

**Methods and material for containment and cleaning up**

- Methods for Containment**                Prevent further leakage or spillage if safe to do so.
- Methods for Clean-Up**                    Flush area with water and mop up. Dispose of contents/container to an approved waste disposal plant.

**7. HANDLING AND STORAGE**

**Precautions for safe handling**

- Advice on Safe Handling**                Handle in accordance with good industrial hygiene and safety practice. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.

**Conditions for safe storage, including any incompatibilities**

- Storage Conditions**                      Keep container tightly closed and store in a cool, dry and well-ventilated place. Keep locked up and out of reach of children. Do not store at elevated temperatures.
- Incompatible Materials**                 None known based on information supplied.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Dibutyl phthalate 84-74-2	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> (vacated) TWA: 5 mg/m <sup>3</sup>	IDLH: 4000 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>

**Appropriate engineering controls**

- Engineering Controls**                    Apply technical measures to comply with the occupational exposure limits. Ensure adequate ventilation, especially in confined areas. Showers. Eyewash stations.

**Individual protection measures, such as personal protective equipment**

- Eye/Face Protection**                    Recommended for general protection.
- Skin and Body Protection**              Gloves are recommended.
- Respiratory Protection**                Not required under normal use conditions.
- General Hygiene Considerations**    Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Information on basic physical and chemical properties**

- Physical State**                              Liquid



**Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Diethylene glycol monomethyl ether 111-77-3	= 4 mL/kg ( Rat )	= 2500 µL/kg ( Rabbit )	-
tributoxyethyl phosphate 78-51-3	= 3000 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	> 6.4 mg/L ( Rat ) 4 h
Dibutyl phthalate 84-74-2	= 6300 mg/kg ( Rat )	> 20000 mg/kg ( Rabbit )	-

**Information on physical, chemical and toxicological effects**

**Symptoms** Please see section 4 of this SDS for symptoms.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Carcinogenicity** Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

**Reproductive toxicity** May damage fertility or the unborn child.

**Numerical measures of toxicity**

Not determined

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

Harmful to aquatic life with long lasting effects.

**Component Information**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Diethylene glycol monomethyl ether 111-77-3	500: 72 h Desmodemus subspicatus mg/L EC50	7500: 96 h Lepomis macrochirus mg/L LC50 static 7500: 96 h Lepomis macrochirus mg/L LC50 5741: 96 h Pimephales promelas mg/L LC50	EC50 > 10000 mg/L 17 h	500: 48 h Daphnia magna mg/L EC50
tributoxyethyl phosphate 78-51-3		10.4 - 12.0: 96 h Pimephales promelas mg/L LC50 flow-through		
Dibutyl phthalate 84-74-2	1.2: 72 h Desmodemus subspicatus mg/L EC50 0.4: 96 h Pseudokirchneriella subcapitata mg/L EC50 static	0.71 - 1.2: 96 h Pimephales promelas mg/L LC50 flow-through 0.31 - 5.45: 96 h Pimephales promelas mg/L LC50 static 1.24: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 1.24 - 5.3: 96 h Oncorhynchus mykiss mg/L LC50 static 1.38 - 1.74: 96 h Lepomis macrochirus mg/L LC50 flow-through 0.42 - 1.28: 96 h Lepomis macrochirus mg/L LC50 static	EC50 = 10.9 mg/L 30 min EC50 = 10.9 mg/L 5 min EC50 = 11.1 mg/L 15 min EC50 = 2.2 mg/L 24 h	2.99: 48 h Daphnia magna mg/L EC50 Static 3.4: 48 h Daphnia magna mg/L EC50

**Persistence/Degradability**

Not determined.

**Bioaccumulation**

Not determined.

**Mobility**

Chemical Name	Partition Coefficient
Diethylene glycol monomethyl ether 111-77-3	-0.682
tributoxyethyl phosphate 78-51-3	4.78
Dibutyl phthalate 84-74-2	5.38

**Other Adverse Effects**

Not determined

**13. DISPOSAL CONSIDERATIONS**

**Waste Treatment Methods**

**Disposal of Wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**US EPA Waste Number**

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Dibutyl phthalate 84-74-2	U069	Included in waste stream: F039		U069

**14. TRANSPORT INFORMATION**

**Note** Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

**DOT** Not regulated

**IATA** Not regulated

**IMDG** Not regulated

**15. REGULATORY INFORMATION**

**International Inventories**

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Diethylene glycol monomethyl ether	Present	X		Present		Present	X	Present	X	X
tributoxyethyl phosphate	Present	X		Present		Present	X	Present	X	X
Dibutyl phthalate	Present	X		Present		Present	X	Present	X	X

**Legend:**

*TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*

*DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List*

*EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*

*ENCS - Japan Existing and New Chemical Substances*

*IECSC - China Inventory of Existing Chemical Substances*

*KECL - Korean Existing and Evaluated Chemical Substances*

*PICCS - Philippines Inventory of Chemicals and Chemical Substances*

*AICS - Australian Inventory of Chemical Substances*

**US Federal Regulations**

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Dibutyl phthalate 84-74-2	10 lb		RQ 10 lb final RQ RQ 4.54 kg final RQ

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Diethylene glycol monomethyl ether - 111-77-3	111-77-3	<7	1.0
Dibutyl phthalate - 84-74-2	84-74-2	<2	1.0

**CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Dibutyl phthalate	10 lb	X	X	X

**US State Regulations**

**California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Dibutyl phthalate - 84-74-2	Developmental Female Reproductive Male Reproductive

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Diethylene glycol monomethyl ether 111-77-3	X	X	X
Dibutyl phthalate 84-74-2	X	X	X

**16. OTHER INFORMATION**

<u><b>NFPA</b></u>	<b>Health Hazards</b> 1	<b>Flammability</b> 0	<b>Instability</b> 0	<b>Special Hazards</b> Not determined
<u><b>HMIS</b></u>	<b>Health Hazards</b> Not determined	<b>Flammability</b> Not determined	<b>Physical Hazards</b> Not determined	<b>Personal Protection</b> Not determined

Issue Date: 13-Sep-2006  
 Revision Date: 09-Mar-2015  
 Revision Note: New format

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**